Neuroscience Letters, 136 (1992) 236–238
Elsevier Scientific Publishers Ireland Ltd.

AUTHOR INDEX

Allsop, D., see Gentleman, S.M., 27
Axelson, J.F., Shannon, W. and Van Leeuwen, F.W., Immunocytochemical localization of estrogen receptors within neurotensin cells in the rostral preoptic area of the rat hypothalamus, 5

Ballarin, M., see Boatell, L.L., 203
Barcikowska, M., see Kida, E., 59
Baudry, M., see Schreiber, S.S., 31
Bazin, R., see Beck, B., 185
Beck, B., Burlet, A., Bazin, R., Nicolas, J.-P. and Burlet, C., Early modification of neuropeptide Y but not of neurotensin in the suprachiasmatic nucleus of the obese Zucker rat, 185
Besse, D., Lombard, M.C. and Besson, J.M., Up-regulation of [^{3}H]DAMGO and [^{3}H]DTLET opioid binding sites in laminae I–II of the spinal cord in intact and deafferented morphine-tolerant rats, 209
Besson, J.M., see Besse, D., 209
Besson, M.J., see Rétaux, S., 67
Blaustein, M.P., see Yip, R.K., 123
Boatell, L.L., Lindefors, N., Ballarin, M., Ernfors, P., Mahy, N. and Persson, H., Activation of basal forebrain cholinergic neurons differentially regulates brain-derived neurotrophic factor mRNA expression in different projection areas, 203
Bonanno, G., see Raiteri, M., 127
Bruton, C.J., see Gentleman, S.M., 27
Bugnon, C., see Risold, P.Y., 145
Burešová, M., Dvořáková, M., Zvolský, P. and Illnerová, H., Human circadian rhythm in serum melatonin in short winter days and in simulated artificial long days, 173
Burlet, A., see Beck, B., 185
Burlet, C., see Beck, B., 185

Calka, J., Immunocytochemical localization of VIP-immunoreactive neurons in the hypothalamus of immature gilts, 177
Calvo, J.R., see Lopez-Gonzalez, M.A., 150
Cardozo, A., see Cruz-Sanchez, F.F., 43
Caserta, F., Hausman, R.E., Eldred, W.D., Stanley, H.E. and Kimmel, C., Effect of viscosity on neurite outgrowth and fractal dimension, 198
Chang, C.-L., see Cheng, J.-T., 36
Cheng, J.-T., Chang, C.-L. and Tsai, C.-L., Inhibitory effect of neuropeptide Y (NPY) on the in vitro activity of dopamine-β-hydroxylase, 36
Chesselet, M.-F., see Mercugliano, M., 10
Ciesielski, L., see Mesdjian, E., 232
Codoceo, R., see Molina, J.A., 137
Collins, P., see Jacque, C., 181
Cruz-Sanchez, F.F., Rossi, M.L., Cardozo, A., Deacon, P. and Tolosa, E., Clinical and pathological study of two patients with progressive supranuclear palsy and Alzheimer's changes. Antigenic determinants that distinguish cortical and subcortical neurofibrillary tangles, 43

de Jong-Brink, M., see Hordijk, P.L., 193
De Kloet, E.R., see Schöbitz, B., 189
Deacon, P., see Cruz-Sanchez, F.F., 43
Del Bianco, E., see Santicioli, P., 161
Díaz-Rey, M.A., see Pintor, J., 141
Dolleman-V.d. Weel, M.J., see Pennartz, C.M.A., 109
Dostalek, C., see Novak, P., 213
Drewe, J.A., see Priddy, M., 131
Dvořáková, M., see Burešová, M., 173

Eldred, W.D., see Caserta, F., 198
Eriksson, L., see Widén, L., 1
Ernfors, P., see Boatell, L.L., 203
Evans, H.F., see Ulman, L.G., 105

Faden, A.I., see Panter, S.S., 165
Fanardjian, V.V., see Sarkisian, V.H., 47
Fellmann, D., see Risold, P.Y., 145
Fernandez-Calle, P., see Molina, J.A., 137
Fillenz, M., see Vahabzadeh, A., 51
Finch, C.E., see Schreiber, S.S., 31
Funa, K., see Giacobini, M.M.J., 227

García-Calvo, M., Valdivieso, F., Mayor Jr., F. and Vázquez, J., Sensitive procedures for measuring chloride fluxes mediated by the purified glycine receptor incorporated into phospholipid vesicles, 102
Gentleman, S.M., Allsop, D., Bruton, C.J., Jagoe, R., Polak, J.M. and Roberts, G.W., Quantitative differences in the deposition of βA4 protein in the sulci and gyri of frontal and temporal isocortex in Alzheimer's disease, 27
Geppetti, P., see Santicioli, P., 161
Giacobini, M.M.J., Smits, A., Funa, K., Westermark, B. and Olson, L., Differential effects of platelet-derived growth factors on fetal hippocampal and cortical grafts: evidence from intraocular transplantation in rats, 227
Gillardon, F., Wiesner, R.J. and Zimmermann, M., Expression on the *jun*D proto-oncogene in the rat spinal cord and skin following noxious cutaneous ultraviolet irradiation, 87
Grunfeld, S., see Joseph, R., 15
Guerrero, J.M., see Lopez-Gonzalez, M.A., 150

Hall, H., Halldin, C. and Sedvall, G., Gpp(NH)p stimulates [^{3}H]raclopride binding to homogenates from human putamen and accumbens, 79
Halldin, C., see Hall, H., 79
Hansson, E., see Nilsson, M., 83
Hariguchi, S., see Nakamura, Y., 95
Hausman, R.E., see Caserta, F., 198
Hertel, C. and Schubenel, R., Nerve growth factor-induced loss of cell-associated nerve growth factor receptor in human melanoma A875 cells, 113
Homma, S., see Nakajima, Y., 169
Hordijk, P.L., de Jong-Brink, M., Maat, A. ter, Pieneman, A.W., Lodder, J.C. and Kits, K.S., The neuropeptide schistosomin and haemolymph from parasitized snails induce similar changes in excitability in neuroendocrine cells controlling reproduction and growth in a freshwater snail, 193
Hsu, L., Savage, P. and Jeng, A.Y., Dual effects of endothelin-1 on neurite outgrowth induced by 12-O-tetradecanoylphorbol-13-acetate, 219

Iismaa, T.P., see Ulman, L.G., 105
Illnerová, H., see Burešová, M., 173
Ingvar, M., see Widén, L., 1

Jacque, C., Tchelingerian, J.-L., Collins, P. and Suard, I., In situ transformation of striatal glia into cerebellar-like glia after brain transplantation, 181
Jagoe, R., see Gentleman, S.M., 27
Jeng, A.Y., see Hsu, L., 219
Jiménez-Jiménez, F.J., see Molina, J.A., 137
Johnson, S.A., see Schreiber, S.S., 31
Joseph, R., Tsering, C., Grunfeld, S. and Welch, K.M.A., Serotonin may have neurotoxic properties, 15
Julien, J.F., see Rétaux, S., 67

Kanosue, K., see Tsai, C.L., 23
Kida, E. and Barcikowska, M., Ubiquitin expression in globose tangles in the locus coeruleus in brains of patients with Alzheimer's and Parkinson's diseases, 59
Kim, S.U., see Tooyama, I., 91
Kimmel, C., see Caserta, F., 198
Kitamoto, T., see Ohgami, T., 75
Kits, K.S., see Hordijk, P.L., 193
Klein, S.A., see Levi, D.M., 63
Kompa, A.R., see Molenaar, P., 118
Koyama, T., see Muraki, A., 39
Kucera, J. and Walro, J., Axotomy induces fusimotor-free muscle spindles in neonatal rats, 216
Kunze, D.L., see Priddy, M., 131

Lalinde, L., see Molina, J.A., 137
Lepicovska, V., see Novak, P., 213
Levi, D.M. and Klein, S.A., The role of local contrast in the visual deficits of humans with naturally occurring amblyopia, 63
Lindefors, N., see Boatell, L.L., 203
Livy, D., see Wahlsten, D., 99
Lodder, J.C., see Hordijk, P.L., 193
Lodge, D., see Pralong, E., 56
Lombard, M.C., see Besse, D., 209
Lopes da Silva, F.H., see Pennartz, C.M.A., 109
Lopez-Gonzalez, M.A., Calvo, J.R., Osuna, C., Rubio, A. and Guerrero, J.M., Melatonin potentiates cyclic AMP production stimulated by vasoactive intestinal peptide in human lymphocytes, 150

Maat, A. ter, see Hordijk, P.L., 193
Maggi, C.A., see Santicioli, P., 161
Mahy, N., see Boatell, L.L., 203
Mandel, P., see Mesdjian, E., 232
Marlier, L., see Poulat, P., 19
Matsumura, K., see Tsai, C.L., 23
Mayor Jr., F., see García-Calvo, M., 102
McCloskey, D.I., see Ulman, L.G., 105
McGeer, P.L., see Tooyama, I., 91
Mercugliano, M. and Chesselet, M.-F., Clozapine decreases enkephalin mRNA in rat striatum, 10
Mesdjian, E., Ciesielski, L. and Mandel, P., $GABA_A$ sodium independent receptor sites in a strain of rats presenting generalized non-convulsive seizures, 232
Millar, J.D., see Pralong, E., 56
Miller, K.J. and Teitler, M., Quantitative autoradiography of 5-CT-sensitive ($5\text{-}HT_{1D}$) and 5-CT-insensitive ($5\text{-}HT_{1E}$) serotonin receptors in human brain, 223
Miras-Portugal, M.T., see Pintor, J., 141
Molenaar, P., Kompa, A.R., Roberts, S.J., Pak, H.S. and Summers, R.J., Localization of (−)-[^{125}I]cyanopindolol binding in guinea-pig heart: characteristics of non-β-adrenoceptor related binding in cardiac pacemaker and conducting regions, 118
Molina, J.A., Jiménez-Jiménez, F.J., Fernandez-Calle, P., Lalinde, L., Tenias, J.M., Pondal, M., Vazquez, A. and Codoceo, R., Serum lipid peroxides in patients with Parkinson's disease, 137
Muraki, A., Koyama, T., Nakayama, M., Ohmori, T. and Yamashita, I., MK-801, a non-competitive antagonist of NMDA receptor, prevents methamphetamine-induced decrease of striatal dopamine uptake sites in the rat striatum, 39
Musha, T., see Nakajima, Y., 169

Najm, I., see Schreiber, S.S., 31
Nakajima, Y., Homma, S., Musha, T., Sasaki, H. and Okamoto, Y., Estimation of neural architecture in human brain by means of the dipole tracing method, 169
Nakamura, Y., Takeda, M., Niigawa, H., Hariguchi, S. and Nishimura, T., Amyloid β-protein precursor deposition in rat hippocampus lesioned by ibotenic acid injection, 95
Nakayama, M., see Muraki, A., 39
Nicolas, J.-P., see Beck, B., 185
Niigawa, H., see Nakamura, Y., 95
Nilsson, M., Rönnbäck, L. and Hansson, E., Receptor-coupled uptake of valproate in rat astroglial primary cultures, 83
Nishimura, T., see Nakamura, Y., 95
Novak, P., Lepicovska, V. and Dostalek, C., Periodic amplitude modulation of EEG, 213

Ocherashvili, E. and Roitbak, A., Relationships between electrically induced slow negative potentials and changes in extracellular potassium concentrations in cerebral cortex of the cat, 72
Ohgami, T., Kitamoto, T. and Tateishi, J., Alzheimer's amyloid precursor protein accumulates within axonal swellings in human brain lesions, 75
Ohmori, T., see Muraki, A., 39
Okamoto, Y., see Nakajima, Y., 169
Olson, L., see Giacobini, M.M.J., 227
Onaka, T., Torigoe, H. and Yagi, K., A dopamine D_1 receptor antagonist, SCH 23390, selectively blocks vasopressin release after noxious stimuli in the rat, 157
Osuna, C., see Lopez-Gonzalez, M.A., 150
Ozaki, H.S., see Wahlsten, D., 99

Pak, H.S., see Molenaar, P., 118
Panter, S.S. and Faden, A.I., Pretreatment with NMDA antagonists limits release of excitatory amino acids following traumatic brain injury, 165
Parsons, S.M., see Widén, L., 1
Pende, M., see Raiteri, M., 127
Penit-Soria, J., see Rétaux, S., 67
Pennartz, C.M.A., Weel, M.J. Dolleman-V.d. and Lopes da Silva, F.H., Differential membrane properties and dopamine effects in the shell and core of the rat nucleus accumbens studied in vitro, 109
Persson, H., see Boatell, L.L., 203
Philipson, K.D., see Yip, R.K., 123
Pieneman, A.W., see Hordijk, P.L., 193
Pintor, J., Díaz-Rey, M.A., Torres, M. and Miras-Portugal, M.T., Presence of diadenosine polyphosphates— Ap_4A and Ap_5A— in rat brain synaptic terminals. Ca^{2+} dependent release evoked by 4-aminopyridine and veratridine, 141

Polak, J.M., see Gentleman, S.M., 27
Pondal, M., see Molina, J.A., 137
Potter, E.K., see Ulman, L.G., 105
Poulat, P., Marlier, L., Rajaofetra, N. and Privat, A., 5-Hydroxytryptamine, substance P and thyrotropin-releasing hormone synapses in the intermediolateral cell column of the rat thoracic spinal cord, 19
Pralong, E., Millar, J.D. and Lodge, D., Specificity and potency of *N*-methyl-D-aspartate glycine site antagonists and of mephenesin on the rat spinal cord in vitro, 56
Priddy, M., Drewe, J.A. and Kunze, D.L., L-Glutamate inhibition of an inward potassium current in neonatal neurons from the nucleus of the solitary tract, 131
Privat, A., see Poulat, P., 19

Raiteri, M., Bonanno, G., Pende, M. and Versace, P., GM_1 ganglioside treatment promotes recovery of electrically-stimulated [^{3}H]dopamine release in striatal slices from rats lesioned with kainic acid, 127
Rajaofetra, N., see Poulat, P., 19
Rétaux, S., Besson, M.J., Julien, J.F. and J. Penit-Soria, Expression of GAD mRNA in GABA interneurons of the rat medial frontal cortex, 67
Risold, P.Y., Fellmann, D., Rivier, J., Vale, W. and Bugnon, C., Immunoreactivities for antisera to three putative neuropeptides of the rat melanin-concentrating hormone precursor are coexpressed in neurons of the rat lateral dorsal hypothalamus, 145
Rivier, J., see Risold, P.Y., 145
Roberts, G.W., see Gentleman, S.M., 27
Roberts, S.J., see Molenaar, P., 118
Rogers, G.A., see Widén, L., 1
Roitbak, A., see Ocherashvili, E., 72
Rönnbäck, L., see Nilsson, M., 83
Rossi, M.L., see Cruz-Sanchez, F.F., 43
Rubio, A., see Lopez-Gonzalez, M.A., 150

Santicioli, P., Del Bianco, E., Tramontana, M., Geppetti, P. and Maggi, C.A., Release of calcitonin gene-related peptide like-immunoreactivity induced by electrical field stimulation from rat spinal afferents is mediated by conotoxin-sensitive calcium channels, 161
Sarkisian, V.H. and Fanardjian, V.V., Antidromic and synaptic activation of Deiters' neurons induced by stimulation of red nucleus in the cat, 47
Sasaki, H., see Nakajima, Y., 169
Savage, P., see Hsu, L., 219
Schöbitz, B., Voorhuis, D.A.M. and De Kloet, E.R., Localization of interleukin 6 mRNA and interleukin 6 receptor mRNA in rat brain, 189
Schreiber, S.S., Tocco, G., Najm, I., Finch, C.E., Johnson, S.A. and Baudry, M., Absence of c-*fos* induction in neonatal rat brain after seizures, 31
Schubenel, R., see Hertel, C., 113
Sedvall, G., see Hall, H., 79
Shannon, W., see Axelson, J.F., 5
Shine, J., see Ulman, L.G., 105
Smits, A., see Giacobini, M.M.J., 227
Stanley, H.E., see Caserta, F., 198
Stone-Elander, S., see Widén, L., 1
Suard, I., see Jacque, C., 181
Summers, R.J., see Molenaar, P., 118

Takeda, M., see Nakamura, Y., 95
Tateishi, J., see Ohgami, T., 75
Tchelingerian, J.-L., see Jacque, C., 181
Teitler, M., see Miller, K.J., 223
Tenias, J.M., see Molina, J.A., 137
Tocco, G., see Schreiber, S.S., 31
Tolosa, E., see Cruz-Sanchez, F.F., 43
Tooyama, I., Yamada, T., Kim, S.U. and McGeer, P.L., Immunohistochemical study of A2B5-positive ganglioside in postmortem human brain tissue of Alzheimer disease, amyotrophic lateral sclerosis, progressive supranuclear palsy and control cases, 91
Torigoe, H., see Onaka, T., 157
Torres, M., see Pintor, J., 141
Tramontana, M., see Santicioli, P., 161
Tsai, C.-L., see Cheng, J.-T., 36
Tsai, C.L., Kanosue, K. and Matsumura, K., Effects of estradiol treatment on responses of rat preoptic warm sensitive neurons to progesterone in vitro, 23
Tsering, C., see Joseph, R., 15

Ulman, L.G., Evans, H.F., Iismaa, T.P., Potter, E.K., McCloskey, D.I. and Shine, J., Effects of human, rat and porcine galanins on cardiac vagal action and blood pressure in the anaesthetised cat, 105

Vahabzadeh, A. and Fillenz, M., Studies on the origin of rat hippocampal dihydroxyphenylacetic acid using microdialysis, 51
Valdivieso, F., see García-Calvo, M., 102
Vale, W., see Risold, P.Y., 145
Van Leeuwen, F.W., see Axelson, J.F., 5
Vazquez, A., see Molina, J.A., 137
Vázquez, J., see García-Calvo, M., 102
Versace, P., see Raiteri, M., 127
Voorhuis, D.A.M., see Schöbitz, B., 189

Wahlsten, D., Ozaki, H.S. and Livy, D., Deficient corpus callosum in hybrids between ddN and three other abnormal mouse strains, 99
Walro, J., see Kucera, J., 216
Weel, M.J. Dolleman-V.d., see Pennartz, C.M.A., 109
Welch, K.M.A., see Joseph, R., 15
Westermark, B., see Giacobini, M.M.J., 227
Widén, L., Eriksson, L., Ingvar, M., Parsons, S.M., Rogers, G.A. and Stone-Elander, S., Positron emission tomographic studies of central cholinergic nerve terminals, 1
Wiesner, R.J., see Gillardon, F., 87
Withington, D.J., The effect of binocular lid suture on auditory responses in the guinea-pig superior colliculus, 153

Yagi, K., see Onaka, T., 157
Yamada, T., see Tooyama, I., 91
Yamashita, I., see Muraki, A., 39
Yip, R.K., Blaustein, M.P. and Philipson, K.D., Immunologic identification of Na/Ca exchange protein in rat brain synaptic plasma membrane, 123

Zimmermann, M., see Gillardon, F., 87
Zvolský, P., see Burešová, M., 173